

# 工業級臥式帶鋸機 系列

## HORIZONTAL BAND SAW UE SERIES

- MANUAL BAND SAW SERIES
- SEMI-AUTO BAND SAW SERIES
- ROLLER STAND & ACCESSORY



**Innovative Cutting Technology**

## COMPANY PROFILE

- **COMPANY NAME :**  
*WAY TRAIN Industries Co., Ltd.*
- **ADDRESS :**  
*No.1008 Hou Chuang Road, Pei Tun Chu, Taichung, Taiwan, R.O.C.*
- **DIRECTOR :**  
*Kevin Lin*
- **ESTABLISHMENT :**  
*March 1983*
- **MAIN PRODUCTS :**  
*Manual, Semi-automatic, and Fully Automatic Horizontal Band Saw products.*

Way Train persists in Conscientious, Prestige and Optimizing Efficiency ever since established. As a proficient and precision band saw machine manufacturer, Way Train actively develops various kinds of Band Saw by the excellent design, competitive price, and global worldwide sales network. Way Train operates as the leading brand of Band Saw industry.

Engaging in product innovation and expansion, Way Train proceeds to the excellence of Band Saw machines by persisting diligently operation concept, quality commitment and positive vision to confront the continuous developing machine tendency and challenge.

Way Train expects to be the leading vanguard of industry, and provides the high reliability quality Band Saws.



■	<b>7" 帶鋸機系列 / 7" METAL CUTTING BANDSAW</b>	
●	UE-712/712A · UE-712G .....	01
●	UE-712SG · UE-712SB .....	02
●	UE-712C · UV-180SL .....	03
■	<b>8" 帶鋸機系列 / 8" METAL CUTTING BANDSAW</b>	
●	UE-812 .....	04
●	UE-812B .....	04
■	<b>9" 帶鋸機系列 / 9" METAL CUTTING BANDSAW</b>	
●	UE-916A · UE-916V .....	05
●	UE-918HAV · UE-918HA .....	06
●	UE-918S · UE-918SSA .....	07
■	<b>10" 帶鋸機系列 / 10" METAL CUTTING BANDSAW</b>	
●	UE-250V · UE-250A .....	08
●	UE-250S · UE-250SSA .....	09
●	UE-250SSAV .....	10
■	<b>13" 帶鋸機系列 / 13" METAL CUTTING BANDSAW</b>	
●	UE-330A .....	13
●	UE-330SA .....	14
●	UE-330SSAV · UE-1318DS/DSV .....	15
●	UE-350SA .....	17
●	UE-350SSA .....	18
■	<b>料架 ROLLER STANDS</b> .....	19
■	<b>選配件 ACCESSORIES</b> .....	20

● **UE-712**  
 搖頭開關  
 TOGGLE SWITCH



● **UE-712A**

● **UE-712/712A**

搖頭開關 TOGGLE SWITCH (712)
磁性開關 MAGNETIC SWITCH (712A)
馬力 MOTOR
1HP
鋸帶速度 BLADE SPEED
皮帶輪四速 50Hz:22/33/45/65MPM
STEP PULLEY 60Hz:25/40/55/80MPM
鋸帶尺寸 BLADE SIZE
19x0.9x2360MM
鋸切能力 CAPACITY
90° ●180MM ■165x280MM ■65x300MM
45° ●110MM ■180x110MM
裝箱尺寸 PACKING MEASUREMENT
1280x450x1030MM
淨重/毛重 N.W./G.W.
133KGS/146KGS
裝櫃數量 CONTAINER LOADS
42 SETS/20'



● **UE-712G**

齒輪傳動 GEAR TRANSMISSION,
磁性開關 MAGNETIC SWITCH
馬力 MOTOR
1HP
鋸帶速度 BLADE SPEED
39/66/82MPM (125/215/270FPM)
鋸帶尺寸 BLADE SIZE
19x0.9x2360MM
鋸切能力 CAPACITY
90° ●180MM ■165x280MM ■65x300MM
45° ●110MM ■180x110MM
裝箱尺寸 PACKING MEASUREMENT
1280x450x1060MM
淨重/毛重 N.W./G.W.
139KGS/153KGS
裝櫃數量 CONTAINER LOADS
42 SETS/20'

# 712 SERIES



## ● UE-712SG

鋸弓轉角度/齒輪傳動

SWIVEL HEAD / GEAR TRANSMISSION / "CE" STANDARD

馬力 MOTOR

1HP

鋸帶速度 BLADE SPEED

39/66/82MPM (125/215/270FPM)

鋸帶尺寸 BLADE SIZE

19x0.9x2360MM

鋸切能力 CAPACITY

90° ● 180MM ─ 180x260MM ─ 55x280MM

45° ● 105MM ─ 120x105MM

裝箱尺寸 PACKING MEASUREMENT

1280x570x1060MM

淨重/毛重 N.W. / G.W.

189KGS/208KGS

裝櫃數量 CONTAINER LOADS

34 SETS/20'



## ● UE-712SB

鋸弓轉角度 / 磁性開關

SWIVEL HEAD / MAGNETIC SWITCH

馬力 MOTOR

1HP

鋸帶速度 BLADE SPEED

皮帶輪四速 50Hz:22/33/45/65MPM

STEP PULLEY 60Hz:25/40/55/80MPM

鋸帶尺寸 BLADE SIZE

19x0.9x2360MM

鋸切能力 CAPACITY

90° ● 180MM ─ 180x260MM ─ 55x280MM

45° ● 105MM ─ 120x105MM

裝箱尺寸 PACKING MEASUREMENT

1280x570x1060MM

淨重/毛重 N.W. / G.W.

181KGS/200KGS

裝櫃數量 CONTAINER LOADS

34 SETS/20'



### ● UE-712C

CE 認證 "CE" STANDARD

馬力 MOTOR

1HP

鋸帶速度 BLADE SPEED

皮帶輪四速 50Hz:22/33/45/65MPM

STEP PULLEY 60Hz:25/40/55/80MPM

鋸帶尺寸 BLADE SIZE

19x0.9x2360MM

鋸切能力 CAPACITY

90° ●180MM ■165x280MM ■65x300MM

45° ●110MM ■180x110MM

裝箱尺寸 PACKING MEASUREMENT

1280x450x1030MM

淨重/毛重 N.W. / G.W.

138KGS/151KGS

裝櫃數量 CONTAINER LOADS

42 SETS/20'



### ● UV-180SL

DC 無刷馬達 / 無段變速 / 可移動式

BRUSHLESS MOTOR / VAIRABLE SPEED / MOVABLE

馬力 MOTOR

1HP

鋸帶速度 BLADE SPEED

35~85MPM

鋸帶尺寸 BLADE SIZE

1.9x0.9x2285MM

鋸切能力 CAPACITY

90° ●180MM ■165x230MM

45° ●140MM ■165x140MM

淨重/毛重 N.W. / G.W.

51KGS/57KGS

裝箱尺寸 PACKING MEASUREMENT

1150X380X590MM

# 712/180/812 SERIES



## ● UE-812

搖頭開關 TOGGLE SWITCH (812)

磁性開關 MAGNETIC SWITCH (812A)

齒輪傳動 GEAR TRANSMISSION (812G)

馬力 MOTOR

1HP 4P 1720RPM

鋸帶速度 BLADE SPEED

皮帶輪四速 50Hz:22/33/45/65MPM

STEP PULLEY 60Hz:25/40/55/80MPM

鋸帶尺寸 BLADE SIZE

19x0.9x2360MM

鋸切能力 CAPACITY

90° ●200MM ■200x240MM ■ 90x305MM

45° ●105MM ■100x140MM

裝箱尺寸 PACKING MEASUREMENT

1295x483x1100MM

淨重/毛重 N.W./G.W.

149KGS/169KGS

裝櫃數量 CONTAINER LOADS

36 SETS/20'



## ● UE-812B

磁性開關 MAGNETIC SWITCH (812B)

搖頭開關 TOGGLE SWITCH(812B1)

馬力 MOTOR

1HP 4P 1720 RPM

鋸帶速度 BLADE SPEED

皮帶輪四速 50Hz:22/33/45/65MPM

STEP PULLEY 60Hz:25/40/55/80MPM

鋸帶尺寸 BLADE SIZE

19x0.9x2360MM

鋸切能力 CAPACITY

90° ●200MM ■165x275MM ■ 55x300MM

45° ●120MM ■200x120MM

裝箱尺寸 PACKING MEASUREMENT

1280x480x1070mm

淨重/毛重 N.W./G.W.

143KGS/163KGS

裝櫃數量 CONTAINER LOADS

42 SETS/20'

88 SETS/40'



磁性開關  
Magnetic switch



### ● UE-916A

手動 / 四速 MANUAL / 4 SPEED

馬力 MOTOR

1.5HP

鋸帶速度 BLADE SPEED

25/40/51/71MPM (82/132/170/235FPM)

鋸帶尺寸 BLADE SIZE

27x0.9x3035MM

鋸切能力 CAPACITY

90° ●225MM ■225x345MM ■35x400MM

45° ●165MM ■225x165MM

裝箱尺寸 PACKING MEASUREMENT

1727x749x1092MM

淨重 / 毛重 N.W. / G.W.

285KGS/320KGS

裝櫃數量 CONTAINER LOADS

26 SETS/20'



### ● UE-916V

手動 / 無段變速 MANUAL / VARIABLE SPEED

馬力 MOTOR

1.5HP

鋸帶速度 BLADE SPEED

25-75MPM (82-259FPM)

鋸帶尺寸 BLADE SIZE

27x0.9x3035MM

鋸切能力 CAPACITY

90° ●225MM ■225x345MM ■35x400MM

45° ●165MM ■225x165MM

裝箱尺寸 PACKING MEASUREMENT

1803x749x1092MM

淨重 / 毛重 N.W. / G.W.

285KGS/320KGS

裝櫃數量 CONTAINER LOADS

18 SETS/20'



# 916/918 SERIES



## ● UE-918HAV

半自動 / 油壓虎鉗 / 無段變速

SEMI-AUTO / WITH HYDRAULIC VISE / VARIABLE SPEED

馬力 MOTOR

2HP

鋸帶速度 BLADE SPEED

25-75MPM (82-259FPM)

鋸帶尺寸 BLADE SIZE

27x0.9x3345MM

鋸切能力 CAPACITY

90° ●225MM ■225x430MM ■150x450MM

45° ●225MM ■225x295MM

裝箱尺寸 PACKING MEASUREMENT

1930x750x1080MM

淨重/毛重 N.W. / G.W.

480KGS/550KGS

裝櫃數量 CONTAINER LOADS

18 SETS/20'



## ● UE-918HA

半自動 / 手動虎鉗 / 無段變速

SEMI-AUTO / MANUAL VISE / VARIABLE SPEED

馬力 MOTOR

2HP

鋸帶速度 BLADE SPEED

25-75MPM (82-259FPM)

鋸帶尺寸 BLADE SIZE

27x0.9x3345MM

鋸切能力 CAPACITY

90° ●225MM ■225x430MM ■150x450MM

45° ●225MM ■225x295MM

裝箱尺寸 PACKING MEASUREMENT

1930x750x1080MM

淨重/毛重 N.W. / G.W.

480KGS/550KGS

裝櫃數量 CONTAINER LOADS

18 SETS/20'



### ● UE-918S

手動 / 鋸弓轉角度 / 無段變速
MANUAL / SWIVEL HEAD / VARIABLE SPEED
馬力 MOTOR
2HP
鋸帶速度 BLADE SPEED
25-75MPM (82-259FPM)
鋸帶尺寸 BLADE SIZE
27x0.9x3345MM
鋸切能力 CAPACITY
90° ●225MM ■225x430MM ■150x450MM
45° ●225MM ■225x295MM
裝箱尺寸 PACKING MEASUREMENT
1930x750x1080MM
淨重/毛重 N.W. / G.W.
420KGS/485KGS
裝櫃數量 CONTAINER LOADS
18 SETS/20'



### ● UE-918SSA

半自動 / 鋸弓轉角度 / 無段變速
SEMI-AUTO / SWIVEL HEAD / VARIABLE SPEED
馬力 MOTOR
2HP
鋸帶速度 BLADE SPEED
25-75MPM (82-259FPM)
鋸帶尺寸 BLADE SIZE
27x0.9x3345MM
鋸切能力 CAPACITY
90° ●225MM ■225x430MM ■150x450MM
45° ●225MM ■225x295MM
裝箱尺寸 PACKING MEASUREMENT
1930x750x1080MM
淨重/毛重 N.W. / G.W.
480KGS/550KGS
裝櫃數量 CONTAINER LOADS
18 SETS/20'

# 918/250 SERIES



## ● UE-250V

手動 / 無段變速

MANUAL / VARIABLE SPEED

馬力 MOTOR

2HP

鋸帶速度 BLADE SPEED

25-75MPM (82-259FPM)

鋸帶尺寸 BLADE SIZE

27x0.9x3300MM

鋸切能力 CAPACITY

90° ●250MM ■250x415MM ▣200x450MM

45° ●190MM ▣250x190MM

裝箱尺寸 PACKING MEASUREMENT

1880x750x1117MM

淨重 / 毛重 N.W. / G.W.

320KGS/360KGS

裝櫃數量 CONTAINER LOADS

14 SETS/20'



## ● UE-250A

手動 / 皮帶輪四速

MANUAL / 4 SPEED

馬力 MOTOR

2HP

鋸帶速度 BLADE SPEED

STEP PULLEY 25/40/51/71 MPM

鋸帶尺寸 BLADE SIZE

27x0.9x3300MM

鋸切能力 CAPACITY

90° ●250MM ■250x415MM ▣200x450MM

45° ●190MM ▣250x190MM

裝箱尺寸 PACKING MEASUREMENT

1745x567x1080MM

淨重 / 毛重 N.W. / G.W.

320KGS/360KGS

裝櫃數量 CONTAINER LOADS

26 SETS/20'




### ● UE-250S

手動 / 角度機 / 無段變速
MANUAL / SWIVEL HEAD / VARIABLE SPEED
馬力 MOTOR
2HP
鋸帶速度 BLADE SPEED
25-75MPM (82-259FPM)
鋸帶尺寸 BLADE SIZE
27x0.9x3300MM
鋸切能力 CAPACITY
90° ●250MM ■250x385MM ■230x400MM
45° ●215MM ■250x215MM
裝箱尺寸 PACKING MEASUREMENT
1880x750x1117MM
淨重/ 毛重 N.W. / G.W.
425KGS/490KGS
裝櫃數量 CONTAINER LOADS
14 SETS/20'



### ● UE-250SSA

半自動 / 角度機 / 無段變速
SEMI-AUTO / SWIVEL HEAD / VARIABLE SPEED
馬力 MOTOR
2HP
鋸帶速度 BLADE SPEED
25-75MPM (82-259FPM)
鋸帶尺寸 BLADE SIZE
27x0.9x3300MM
鋸切能力 CAPACITY
90° ●250MM ■250x385MM ■230x400MM
45° ●215MM ■250x215MM
裝箱尺寸 PACKING MEASUREMENT
1905x775x1117MM
淨重/ 毛重 N.W. / G.W.
485KGS/550KGS
裝櫃數量 CONTAINER LOADS
14 SETS/20'



## ● UE-250SSAV

半自動 / 角度機 / 無段變速 / 油壓虎鉗 / 旋轉控制盤

SEMI-AUTO / SWIVEL HEAD / VARIABLE SPEED

HYDRAULIC VISE / SWIVELING PANEL

馬力 MOTOR

2HP

鋸帶速度 BLADE SPEED

25-75MPM (82-259FPM)

鋸帶尺寸 BLADE SIZE

27x0.9x3300MM

鋸切能力 CAPACITY

90° ● 250MM ■ 250x385MM ■ 230x400MM

45° ● 215MM ■ 250x215MM

裝箱尺寸 PACKING MEASUREMENT

1905x775x1117MM

淨重 / 毛重 N.W. / G.W.

500KGS/565KGS

裝櫃數量 CONTAINER LOADS

14 SETS/20'

# 專業設計耐用帶鋸床

## ***THE BAND SAW MACHINE DEVELOPS SOPHISTICATED DESIGN FOR EVERY SINGLE PART.***

滾輪料架可以幫助使用者更輕易的進出料件  
The **Roller Stand** are designed to assist the user in feeding and retrieving cut stock.

控制箱可以180度隨  
使用者需求調整方位

The **Control Box** is mounted on a swiveling post so it can be positioned 180° from front to back.

油壓虎鉗無料檢知安全開關

A **Hydraulic Vise** with a safety device to prevent operation if the work piece is not load or poorly clamped.



# UE SERIES


鋸輪護蓋,使工作者免除不必要的危險  
One piece **Blade Cover** is functional and safe.

上限可調整式開關,節省您鋸切時間  
The **Stroke Limit Switches** allows full control of the cutting range.

手轉無段變速裝置  
Variable speed belt transmission.

角度滑軌讓您在做角度鋸切時,可以輕易的調整  
A **Track Slide** system provides a convenient way to adjust the machine for angle cutting.

- Roller stand for UE-330SSAV is optional.  
UE-330SSAV 連接料架為選配件



### ● UE-330SA

半自動 / 手動虎鉗 / 無段變速

SEMI-AUTO / MANUAL VISE / VARIABLE SPEED

馬力 MOTOR

3HP

鋸帶速度 BLADE SPEED

20-80MPM (66-264FPM)

鋸帶尺寸 BLADE SIZE

34x1.1x4100MM

鋸切能力 CAPACITY

90° ● 330MM ■ 330x480MM ■ 225x530MM

45° ● 255MM ■ 280x255MM

裝箱尺寸 PACKING MEASUREMENT

2284x889x1499MM

淨重 / 毛重 N.W. / G.W.

600KGS/690KGS

裝櫃數量 CONTAINER LOADS

7 SETS/20' 15 SETS/40'





## ● UE-330SSAV

半自動 / 油壓虎鉗 / 無段變速 / 旋轉控制台  
SEMI-AUTO / HYDRAULIC VISE / VARIABLE SPEED  
SWIVELING CONTROL BOX

馬力 MOTOR

3HP

鋸帶速度 BLADE SPEED

20-80MPM (66-264FPM)

鋸帶尺寸 BLADE SIZE

34x1.1x4100MM

鋸切能力 CAPACITY

90° ●330MM ■330x480MM ▣225x530MM

45° ●275MM ■300x275MM

裝箱尺寸 PACKING MEASUREMENT

2286x935x1499MM

淨重 / 毛重 N.W. / G.W.

750KGS/860KGS

裝櫃數量 CONTAINER LOADS

6 SETS/20' 13 SETS/40'



### ● UE-1318DSV

半自動 / 角度機 / 手轉無段變速 / 油壓虎鉗 / 旋轉控制台  
SEMI-AUTO / SWIVEL HEAD / VARIABLE SPEED  
HYDRAULIC VISE / SWIVELING CONTROL BOX

馬力 MOTOR

2HP

鋸帶速度 BLADE SPEED

25-85MPM

鋸帶尺寸 BLADE SIZE

27 x 0.9 x 3810MM

鋸切能力 CAPACITY

90° ● 330MM ■ 330x450MM

45° ● 280MM ■ 330x280MM

60° ● 220MM ■ 220x175MM

裝箱尺寸 PACKING MEASUREMENT

2040x1100x1500MM

淨重 / 毛重 N.W. / G.W.

594KGS/650KGS

裝櫃數量 CONTAINER LOADS

5 SETS/20' 11 SETS/40'



### ● UE-1318DS

半自動 / 角度機 / 手轉無段變速 / 手動虎鉗  
Semi-Auto / Swivel Head / Variable Speed

馬力 MOTOR

2HP

鋸帶速度 BLADE SPEED

25-85MPM

鋸帶尺寸 BLADE SIZE

27 x 0.9 x 3810 MM

鋸切能力 CAPACITY

90° ● 330MM ■ 330x450MM

45° ● 275MM ■ 330x280MM

60° ● 220MM ■ 220x175MM

裝箱尺寸 PACKING MEASUREMENT

2040x1100x1500MM

淨重 / 毛重 N.W. / G.W.

594KGS/650KGS

裝櫃數量 CONTAINER LOADS

5 SETS/20' 11 SETS/40'

\* UE-1318D 為手動


# UE SERIES



•旋轉式控制箱  
Swiveling Control Pannel



•快速移動虎鉗  
Quick Vice Clamping



•CE 認證  
CE Compliance



•冷卻水馬達  
Coolant System



•壓力調整閥  
Pressure Regulator



•角度機滑軌  
Track Slide



•鋸帶護蓋  
Blade Cover



•控制面板  
Control Panel



•清潔水槍  
Cleaning Water Pipe



•高度調整裝置  
Height Adjustment



•定吋桿  
Stop Bar



•鋸帶張力調整與斷帶停機開關  
Adjustable Blade Tension



### ● UE-350SA

半自動 / 無段變速 SEMI-AUTO / VARIABLE SPEED

馬力 MOTOR

5HP

鋸帶速度 BLADE SPEED

27-79MPM

鋸帶尺寸 BLADE SIZE

41x1.3x4710MM

鋸切能力 CAPACITY

90° ●350MM ■350x750MM ■250x800MM

45° ●300MM ■330x300MM

裝櫃數量 PACKING MEASUREMENT

2600x960x1670MM

淨重/毛重 N.W./G.W.

840KGS/953KGS



## ● UE-350SSA

半自動 / 無段變速 SEMI-AUTO / VARIABLE SPEED

馬力 MOTOR

5HP

鋸帶速度 BLADE SPEED

27-79MPM

鋸帶尺寸 BLADE SIZE

41x1.3x4710MM

鋸切能力 CAPACITY

90° ●350MM ■350x750MM ■250x800MM

45° ●350MM ■350x430MM

裝櫃數量 PACKING MEASUREMENT

2600x960x1670MM

淨重 / 毛重 N.W. / G.W.

860KGS/973KGS

### ● 料架 **ROLLER STAND**

#### 單支料架 **SINGLE ROLLER STAND**

	UE-9	UE-830	UE-1160	UE-13
類型 TYPE				
料架寬度 LENGTH ROLL	300MM	365MM	365MM	500MM
可調整高度 ADJUSTABLE HEIGHT	570 ~ 790MM	560~ 830MM	800 ~ 1160MM	710 ~ 920MM
淨重 NET WEIGHT	14 KGS	17 KGS	19 KGS	20 KGS
適用機型 USE FOR THE MODELS	916A, 916V, 250A, 250V, 918S, 918SSA, 918HA, 918HAV, 250S, 250SSA	712A, 712, 712G, 712C, 812, 812G, 812C	712SB, 712SG	330A, 330SA, 330SSA

#### 整組料架 **ROLLER STAND TABLE**

	UE-10	UE-20	UE-30T1	UE-30T2
類型 TYPE				
料架寬度 LENGTH ROLL	360MM	360MM	480MM	480MM
可調整高度 ADJUSTABLE HEIGHT	640MM (±30MM)	640MM (±30MM)	770MM (±30MM)	770MM (±30MM)
淨重 NET WEIGHT	46 KGS	76 KGS	115 KGS	58 KGS
適用機型 USE FOR THE MODELS	916A, 916V, 250A, 250V, 918S, 918SSA, 918HA, 918HAV, 250S, 250SSA		330A, 330SA, 330SSA	

- 最大承載重量2000KGS(4000lbs) UE-10, UE-20, UE-30T1, UE-30T2: Load capacity up to 2000kgs(4400lbs)
- UE-30T1有2支額外的立式滾輪幫助長料進給與虎鉗夾持

UE-30T1 with 2 vertical rollers for long material clamping and feeding

## ● 配件 **ACCESSORIES**



### ● 7", 9", 13" 鋸帶 **SAW BLADE**

鋸帶尺寸 **BLADE SIZE**

7"	19x0.9x2360MM
9"	27x0.9x3345MM
	27x0.9x3035MM
	27x0.9x3300MM
13"	34x1.1x4100MM

### ● 冷卻系統 **COOLANT SYSTEM** **UE-9L**



馬達 **MOTOR** 1/8 HP, 1 PH

容積 **VOLUME** 9L

揚程 **LIFT/METER** 2.5M

尺寸 **DIMENSION** 390 x 260 x 320 MM

重量 **WEIGHT** Gross Wt. 8.2kgs, Net Wt. 7.5kgs



- 此款冷卻系統也適用於鑽孔機"銑床"小型車床及其他需要冷卻系統的機台  
It can be applied to drilling machine drilling & milling machine, small size lathe, or any other machines that need cooling and washing.



威全機械工業股份有限公司

WAY TRAIN INDUSTRIES CO., LTD.

NO.1008, HOU CHUANG RD., PEI TUN CHU, TAICHUNG, TAIWAN, R.O.C.

TEL: 886-4-2422-3291 FAX: 886-4-2422-7689

E-mail : [info@waytrain.com](mailto:info@waytrain.com) [www.waytrain.com](http://www.waytrain.com)



2016.10